
Abrasive paper, self-fastening

PS 33 CK







Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Materials

Paint/Varnish/Filler	●
Wood	●
Plastic	◑

Product benefit

Improved abrasive and stock removal performance thanks to special heat-tempered aluminium oxide abrasive grain - Reduced clogging thanks to sanding active fillers in the size coat and the semi-open coating - Outstanding flexibility paired with good stability and tear resistance thanks to latex impregnated paper backing

Applications

- Automotive industry
- Wind energy industry
- Aircraft construction
- Wood processing industry
- Craftsman companies

Available grits:

16 24 30 36 **40** 50 **60** **80** **100** **120** 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
115	80	◯ 0	PS 33 CK	100	147144
125	40	◯ 0	PS 33 CK	100	154113
125	60	◯ 0	PS 33 CK	100	147604
125	80	◯ 0	PS 33 CK	100	149055

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	100	◯ 0	PS 33 CK	100	150431
125	120	◯ 0	PS 33 CK	100	150433
125	40	GLS 5	PS 33 CK	100	146954
125	60	GLS 5	PS 33 CK	100	147642
125	80	GLS 5	PS 33 CK	100	147643
125	100	GLS 5	PS 33 CK	100	147977
125	120	GLS 5	PS 33 CK	100	147170
125	60	GLS 27	PS 33 CK	100	288180
125	80	GLS 27	PS 33 CK	100	264929
125	120	GLS 27	PS 33 CK	100	264930
150	40	◯ 0	PS 33 CK	100	147922
150	60	◯ 0	PS 33 CK	100	147107
150	80	◯ 0	PS 33 CK	100	146739
150	100	◯ 0	PS 33 CK	100	147106
150	120	◯ 0	PS 33 CK	100	146740
150	40	GLS 1	PS 33 CK	100	146978
150	60	GLS 1	PS 33 CK	100	146979
150	80	GLS 1	PS 33 CK	100	143130
150	100	GLS 1	PS 33 CK	100	143131
150	120	GLS 1	PS 33 CK	100	147093
150	40	GLS 3	PS 33 CK	100	147647
150	60	GLS 3	PS 33 CK	100	147124
150	80	GLS 3	PS 33 CK	100	146946
150	100	GLS 3	PS 33 CK	100	143694
150	120	GLS 3	PS 33 CK	100	146947
150	60	GLS 47	PS 33 CK	100	306837
150	80	GLS 47	PS 33 CK	100	305758
150	100	GLS 47	PS 33 CK	100	306838
150	120	GLS 47	PS 33 CK	100	305759
150	40	GLS 51	PS 33 CK	100	310531
150	60	GLS 51	PS 33 CK	100	301874
150	80	GLS 51	PS 33 CK	100	301925
150	100	GLS 51	PS 33 CK	100	301926
150	120	GLS 51	PS 33 CK	100	301927

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
150	40	GLS 74	PS 33 CK	100	340853
150	60	GLS 74	PS 33 CK	100	340370
150	80	GLS 74	PS 33 CK	100	340371
150	100	GLS 74	PS 33 CK	100	342046
150	120	GLS 74	PS 33 CK	100	340375
225	40	0	PS 33 CK	50	223162
225	60	0	PS 33 CK	50	210124
225	80	0	PS 33 CK	50	210129
225	100	0	PS 33 CK	50	224731
225	120	0	PS 33 CK	50	210130
225	40	GLS 38	PS 33 CK	50	292414
225	60	GLS 38	PS 33 CK	50	292435
225	80	GLS 38	PS 33 CK	50	292436
225	100	GLS 38	PS 33 CK	50	294609
225	120	GLS 38	PS 33 CK	50	292437
225	40	GLS 52	PS 33 CK	50	302042
225	60	GLS 52	PS 33 CK	50	302043
225	80	GLS 52	PS 33 CK	50	302044
225	100	GLS 52	PS 33 CK	50	302045
225	120	GLS 52	PS 33 CK	50	302046
225	40	GLS 55	PS 33 CK	50	314427
225	60	GLS 55	PS 33 CK	50	312448
225	80	GLS 55	PS 33 CK	50	312449
225	100	GLS 55	PS 33 CK	50	312450
225	120	GLS 55	PS 33 CK	50	312451

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de