


Abrasive paper, self-fastening

PS 77 CK T-ACT



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	C-paper

Product benefit

New high-performance disc with optimized clogging behaviour - Increased service life due to the new coating, which prevents the adhesion of paint and dust particles - For aggressive grinding at high loads, a flexible and tear-resistant C-latex paper is used in the grit range 60-220

Materials

Paint/Varnish/Filler	●
Primer	●
Filler	●
Gel coats	●
Composite materials	●
Plastic	○

Applications

- ▶ Automotive industry
- ▶ Boat and shipbuilding
- ▶ Wind energy industry
- ▶ Furniture industry

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	60	○ 0	PS 77 CK	100	353219
125	80	○ 0	PS 77 CK	100	353224

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de



Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	120	○ 0	PS 77 CK	100	353223
125	150	○ 0	PS 77 CK	100	353225
125	180	○ 0	PS 77 CK	100	353222
125	220	○ 0	PS 77 CK	100	353218
125	60	⊗ GLS 5	PS 77 CK	100	353217
125	80	⊗ GLS 5	PS 77 CK	100	353216
125	100	⊗ GLS 5	PS 77 CK	100	353215
125	120	⊗ GLS 5	PS 77 CK	100	353214
125	150	⊗ GLS 5	PS 77 CK	100	353213
125	180	⊗ GLS 5	PS 77 CK	100	353212
125	220	⊗ GLS 5	PS 77 CK	100	353209
125	60	⊗ GLS 27	PS 77 CK	100	353220
125	80	⊗ GLS 27	PS 77 CK	100	353235
125	100	⊗ GLS 27	PS 77 CK	100	353234
125	120	⊗ GLS 27	PS 77 CK	100	353233
125	150	⊗ GLS 27	PS 77 CK	100	353232
125	180	⊗ GLS 27	PS 77 CK	100	353231
125	220	⊗ GLS 27	PS 77 CK	100	353211
150	60	○ 0	PS 77 CK	100	353208
150	80	○ 0	PS 77 CK	100	353207
150	100	○ 0	PS 77 CK	100	353210
150	120	○ 0	PS 77 CK	100	353206
150	150	○ 0	PS 77 CK	100	353205
150	180	○ 0	PS 77 CK	100	353204
150	220	○ 0	PS 77 CK	100	353203
150	150	⊗ GLS 1	PS 77 CK	100	353198
150	180	⊗ GLS 1	PS 77 CK	100	353197
150	220	⊗ GLS 1	PS 77 CK	100	353196
150	60	⊗ GLS 3	PS 77 CK	100	353195
150	180	⊗ GLS 3	PS 77 CK	100	353190
150	220	⊗ GLS 3	PS 77 CK	100	353189
150	60	⊗ GLS 47	PS 77 CK	100	353188
150	80	⊗ GLS 47	PS 77 CK	100	353187
150	100	⊗ GLS 47	PS 77 CK	100	353186

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
150	120	⊗ GLS 47	PS 77 CK	100	353185
150	150	⊗ GLS 47	PS 77 CK	100	353182
150	180	⊗ GLS 47	PS 77 CK	100	353181
150	80	⊗ GLS 51	PS 77 CK	100	353184
150	100	⊗ GLS 51	PS 77 CK	100	353179
150	120	⊗ GLS 51	PS 77 CK	100	353183

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de

